University of Florida Diagnostic Reference Laboratories
Department of Pathology and Laboratory Medicine
4800 SW 35th Drive
Gainesville, FL 32608
352-265-9900 Fax 352-265-9901

REF LAB NO: 11111-08
NAME: **Doe, John**
MEDICAL RECORD: 00021211

ACCESSION DATE: 02/01/2008

PATHOLOGY CONSULTATION REPORT

COAGULATION AND HEMOSTASIS STUDIES

COLLECTION DATE: 01/29/2008

DOB: 01/26/1983 Age: 25 Years GENDER: Male RACE: Unknown

SUBMITTER: Dr. John Smith, 1 Main Street, Gainesville, FL 32601 , (Phone#)-(352)-222-1111 (Fax#)-(352)-222-2222. Send reports to Dr. John Smith.

MATERIALS RECEIVED: 1 Tube of citrated plasma.
A. Citrated plasma, F32166

CLINICAL HISTORY: N/A

LABORATORY FINDINGS:

	UNITS	PATIENT RESULTS (Quantitation / Interpretation)	NORMAL RANGE
Anticardiolipin IgG *	GPL U/mL	< 6.25 Negative	<11 GPL U/mL
Anticardiolipin IgM *	MPL U/mL	< 6.25 Negative	<10 MPL U/mL
Antiphosphotidylserine IgG **	GPS U/mL	< 1.23 Negative	< 11.0 GPS U/mL
Antiphosphotidylserine IgM **	MPS U/mL	6.6	< 25.0 MPS U/mL
Anti-B2 Glycoprotein I IgG **	U/mL	< 3.7 Negative	<20 U/mL
Anti-B2 Glycoprotein I IgM **	U/mL	< 3.7 Negative	<10 U/mL

Interpretation:

Normal studies.

Test Description: * This test is FDA approved.
** This test was developed and its performance characteristics determined by the University of Florida Diagnostic Reference Laboratories. The test has not been cleared or approved by the U.S. Food and Drug Administration.

PATHOLOGIST: David Jones, M.D.

R0811111 - 01 02/10/08 [86146 x2, 86147 x2, 86148 x2]
[0282 x2, 0287, 0288, 0290 x2]

RETRIEVAL CODE: Dx Code: 312.30

PRINTED: 02/10/08